VENATOR 泛能拓

Product Data Sheet ALTIRIS[®] 550 红外反射颜料

Venator's ALTIRIS[®] infrared reflecting pigment for colored exterior coatings and polymer systems can give a wide range of colors the power to reflect solar energy. It's a smart new technology designed to transform the world of exterior colored systems. Offering formulators the ability to maximize solar reflectance, reduce heat build and enhance durability.

Delivering high solar reflectance means ALTIRIS[®] pigment can help to improve the performance of your system. Weathering tests using ALTIRIS[®] pigment have already shown exceptional performance across a spectrum of color formulations in the most durable systems.

Typical Properties

Purity TiO ₂ [%] 二氧化钛纯度	> 90.0
 Crystal form [% Rutile] 结晶类型金红石	> 99.0
 Bulk density [g/cm ^{3]} 体积密度	1.3
	1.0 - 3.0
	2.0 - 4.0
CONEG+As+Sb+Zn [ppm]	<100 GONEG+砷+锑+锌
 Water demand [ml/g] 需水量	26 / 100
Oil absorption [g/g] 吸油量	19 / 100

No carbon is added. 无额外的碳处理

This data sheet includes the typical properties of this pigment. It is not a specification, although specifications are available.

Venator (泛能拓)公司的ALTIRIS红外反射颜料可以使各种色彩斑斓的外用涂料和聚合物产品都具有反射太阳能的 能力,同时具备极佳的耐候性能。



VENATOR

Product Data Sheet ALTIRIS® 550

This leaflet is a general guide to the properties of ALTIRIS[®] 550 pigment. More detailed information about ALTIRIS[®] 550 pigment is available from Venator.

Safety, Health and Environment

As for all fine powders, the handling of titanium dioxide pigments can give rise to airborne dust. Good industrial hygiene practice should be observed so as to avoid the generation and subsequent inhalation of dust. For more information refer to our material safety data sheet.

Food Contact

The subject is too wide to be adequately covered in a technical data sheet and customers should seek confirmation of compliance for each of the particular regulations they are interested in by contacting Venator.

Storage

The pigment should not be stored in outside areas exposed to the weather. All direct contact with moisture should be avoided. By storing the pigment correctly, its properties should not deteriorate with time. However to ensure optimum performance, it is recommended that the product is used on a first in, first out basis from receipt of shipment.

Packaging

Venator's ALTIRIS[®] infrared reflecting pigments are available in 25kg bags and a range of flexible intermediate bulk containers.

Venator does not recommend any of its titanium dioxide pigments for use in lead-stabilized, rigid PVC formulations.

You should ensure that any process you use or product you make using Venator pigment does not infringe any patent. It is Venator's policy to update this information regularly. You are therefore advised to check that this leaflet is the most up-to-date version.

All sales of products referred to in this publication are subject to the general terms and conditions of sale of Venator.

Contact Details

Venator Titanium House, Hanzard Drive Wynyard Park, Stockton-on-Tees TS22 5FD, UK

Tel: +44 (0)1740 608001 Email: info@venatorcorp.com

This communication is a general guide to the products described in it. Information is updated regularly. For updates or more information, visit venatorcorp.com. Although given in good faith, accuracy or completeness of information is not guaranteed. Images used are only examples of possible applications using our products. NOTHING IN THIS COMMUNICATION IS (OR SHOULD BE TAKEN AS) A WARRANTY (EXPRESS OR IMPLIED). NO REPRESENTATION, ASSURANCE OR UNDERTAKING IS MADE. NO LIABILITY IS OR WILL BE ACCEPTED BY VENATOR IN RELATION TO THE ADEQUACY, ACCURACY, COMPLETENESS, REASONABLENESS OF THIS COMMUNICATION. ALL AND ANY SUCH LIABILITY IS EXPRESSIV DISCLAIMED. IN ALL CASES IT IS YOUR RESPONSIBILITY TO DETERMINE THE APPLICABILITY OF THE INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF THE PRODUCTS DESCRIBED FOR ANY PARTICULAR PURPOSE. Unless otherwise expressly stated in this document, Venator products must not be used, resold, distributed, transferred, or otherwise disposed of in (or in each case where intended to be used in) any applications or process in: a) which lead stabilizers/stabilized systems are used where the end product is rigid pvc; b) food; c) cosmetics; d) pharmaceuticals; or e) medical. Nothing in this Communication or disclaimer limits claims in respect of death or personal injury caused by our negligence. This Communication is not: a) alicense under any intellectual property right. Unless otherwise agreed in writing and signed by the parties, all sales are subject to the general terms and conditions of sale of Venator. Reference to Venator includes its direct and indirect affiliates, and their employees, officers, agents and distributors. Reference to Communication in one or more, but not all, countries. © Copyright 2017. All rights reserved. Doc ref code: 0001/0417/V1/MA